


club dei riparatori

The winning solution to manufacture and repair all kinds of pressure washers

Dolly spare parts fitting:
Annovi Reverberi



<i>Subjects</i>	<i>Pages</i>
Dolly fitting ANNOVI REVERBERI:	
• <i>Table pump search</i>	138
• <i>126 (HPE) series</i>	139
• <i>132 (XT) series</i>	140
• <i>178 (XM) series</i>	142
• <i>194 (XW) series</i>	144
• <i>298 (RW) series</i>	145
• <i>228 (RK) series</i>	146
Dolly fitting COMET:	
• <i>LW(-K), LWS(-K), LWR(-K), LWD(-K) series</i>	148
• <i>ZWD, ZWD-K series</i>	150
• <i>Ranger</i>	150
• <i>FW, FWS, FWD series</i>	151
• <i>RW, series</i>	152
• <i>TW, TWS, TWN series</i>	153
Dolly fitting CAT	155
Dolly fitting LEUCO / HAWK:	
• <i>D series</i>	156
• <i>SST series</i>	156
• <i>ST, MT, MTI series</i>	157
• <i>LT, LTI series</i>	158
• <i>XLT series</i>	159
Dolly fitting KRÄNZLE	160
Dolly fitting SPECK	161
Dolly fitting LAVOR / FASA	162
Dolly fitting UDOR:	
• <i>PNC, PND, PNE, PNL series</i>	164
• <i>MC, MCW, MD, ME, ML, MKC, MKL series</i>	164
• <i>GHC, GHD, GKC, GKD series</i>	165
• <i>GB, GC, GD series</i>	166
Dolly fitting IDROMECCANICA BERTOLINI	167
Dolly fitting CRISTANINI	167
Dolly fitting FAIP	167
Dolly fitting KÄRCHER:	
• <i>Pump set X891 ø14</i>	168
• <i>Pump set X172 ø18</i>	169
• <i>Pump set X322 ø20</i>	170
• <i>Pump set X913 ø20</i>	171
• <i>Pump set X302 ø22</i>	172
• <i>Set Dolly</i>	173
Dolly fitting INTERPUMP / GENERALPUMP:	
• <i>Table pump search</i>	174
• <i>44 series</i>	175
• <i>47 and 48 ø20 series</i>	177
• <i>47 and 48 ø22 series</i>	180
• <i>49, 50 series</i>	182
• <i>51 series</i>	185
• <i>61, 62 series</i>	187
• <i>63 series</i>	188
• <i>69 series</i>	189
• <i>76, 77 series</i>	190
• <i>Motor-pumps</i>	191
Set Dolly oil seals	193

Find in the following table, according to the pump you have to service, the series and page which includes all spares necessary to service your pump.

<i>Pumps fitting ANNOVI REVERBERI</i>	<i>Series</i>	<i>Page</i>	<i>Pumps fitting ANNOVI REVERBERI</i>	<i>Series</i>	<i>Page</i>	<i>Pumps fitting ANNOVI REVERBERI</i>	<i>Series</i>	<i>Page</i>	<i>Pumps fitting ANNOVI REVERBERI</i>	<i>Series</i>	<i>Page</i>	<i>Pumps fitting ANNOVI REVERBERI</i>	<i>Series</i>	<i>Page</i>
CWX 15.15 N 950	194	144	RKA 4 G20 J+F22	228	146	SXMV 3 G35 N	178	142	XT 8.10 N	132	140	XTS 11.14 D	132	140
CWX 15.17 N 1750	194	144	RKA 4 G20 N	228	146	SXMV 3.5 G35 D+F40	178	142	XT 8.12 A C	132	140	XTS 11.14 N	132	140
CWX 15.17 N 1450	194	144	RKA 4 G30 A N	228	146	SXMV 3.5 G35 N	178	142	XT 8.12 A N	132	140	XTS 11.15 N	132	140
GRKV 4 G30 +F35	228	146	RKA 4 G30 H E	228	146	SXMV 4 G35 D+F40	178	142	XT 8.12 N	132	140	XTS 13.09 C	132	140
GRKV 4 G30A +F35	228	146	RKA 4 G30 H J+F22	228	146	SXMV 4 G35 N	178	142	XT 8.14 C	132	140	XTS 13.09 D	132	140
GRKV 4 G35H +F35	228	146	RKA G 30 H N	228	146	XM 11.17 C	178	142	XT 8.14 N	132	140	XTS 13.09 N	132	140
GXMV 4 G30 +F35	178	142	RKA 4 G30 N	228	146	XM 11.17 N	178	142	XT 8.15 N	132	140	XTS 13.12 A N	132	140
HPE 8.12 A 1450	126	139	RKA 4 G36 H N	228	146	XM 13.17 C	178	142	XT 9.11 C	132	140	XTS 13.12 C	132	140
HPE 8.12 A 2800	126	139	RKA 4 G40 H N	228	146	XM 13.17 N	178	142	XT 9.11 N	132	140	XTS 13.12 D	132	140
HPE 8.14 1450	126	139	RKA 4.5 G17 N	228	146	XM 15.15 C	178	142	XT 9.14 C	132	140	XTS 13.12 N	132	140
HPE 8.14 2800	126	139	RKA 4.5 G25 H N	228	146	XM 15.15 N	178	142	XT 9.14 N	132	140	XTS 13.15 N	132	140
HPE 9.11 1450	126	139	RKA 4.5 G30 H N	228	146	XMA 2 G10 E	178	142	XT 9.15 N	132	140	XTV 2 G15 D	132	140
HPE 9.14 1450	126	139	RKA 4.5 G40 H N	228	146	XMA 2 G15 E	178	142	XT 10.10 N	132	140	XTV 2 G15 E	132	140
HPE 10.10 1450	126	139	RKA 5.5 G13 E	228	146	XMA 2 G22 E	178	142	XT 10.12 A N	132	140	XTV 2 G15 N	132	140
HPE 10.10 2800	126	139	RKA 5.5 G13 N	228	146	XMA 2.5 G18 E	178	142	XT 10.15 N	132	140	XTV 2 G18 D	132	140
HPE 10.12 A 1450	126	139	RKA 5.5 G20 H N	228	146	XMA 3 G18 E	178	142	XT 11.07 N	132	140	XTV 2 G18 N	132	140
HPE 10.12 A 2800	126	139	RKA 5.5 G26 H N	228	146	XMA 3 G25 E	178	142	XT 11.09 C	132	140	XTV 2 G20 D	132	140
HPE 11.09 1450	126	139	RKA 5.5 G30 H N	228	146	XMA 3 G25 J+F22	178	142	XT 11.09 N	132	140	XTV 2 G20 E	132	140
HPE 11.09 2800	126	139	RKA 6.5 G13 E	228	146	XMA 3 G25 N	178	142	XT 11.11 C	132	140	XTV 2 G20 N	132	140
HPE 11.11 1450	126	139	RKA 6.5 G13 N	228	146	XMA 3.5 G22 E	178	142	XT 11.11 N	132	140	XTV 2 G22 D	132	140
HPE 11.11 2800	126	139	RKA 6.5 G20 H E	228	146	XMA 3.5 G22 J+F22	178	142	XT 11.14 N	132	140	XTV 2 G22 E	132	140
HPE 11.14 2800	126	139	RKA 6.5 G20 H N	228	146	XMA 3.5 G22 N	178	142	XT 11.15 N	132	140	XTV 2 G22 N	132	140
HPE 13.09 2800	126	139	RKA 7 G13 E	228	146	XMA 3.5 G25 E	178	142	XT 13.09 C	132	140	XTV 3 G10 D	132	140
HPE 13.10 1450	126	139	RKA 7 G13 N	228	146	XMA 3.5 G25 J+F22	178	142	XT 13.09 N	132	140	XTV 3 G10 E	132	140
HPE 13.12 2800	126	139	RKA 7 G20 H E	228	146	XMA 3.5 G25 N	178	142	XT 13.12 A N	132	140	XTV 3 G10 N	132	140
HPE 2 G15 1750	126	139	RKA 7 G20 H N	228	146	XMA 4 G20 E	178	142	XT 13.12 N	132	140	XTV 3 G16 D	132	140
HPE 2 G18 1750	126	139	RKV 3.5 G25 D+F41	228	146	XMA 4 G20 J+F22	178	142	XT 13.15 N	132	140	XTV 3 G16 E	132	140
HPE 3 G13 1750	126	139	RKV 3.5 G25 E+F32	228	146	XMA 4 G20 N	178	142	XTA 2 G15 E	132	140	XTV 3 G16 N	132	140
HPE 3.5 G10 1750	126	139	RKV 3.5 G30H D+F41	228	146	XMS 11.17 C	178	142	XTA 2 G15 N	132	140	XTV 3 G18 N	132	140
RK 11.14 N	228	146	RKV 3.5 G35H D+F41	228	146	XMS 11.17 N	178	142	XTA 2 G20 E	132	140	XTV 3 G20 D	132	140
RK 11.20 H C	228	146	RKV 3.5 G40H D+F41	228	146	XMS 13.17 C	178	142	XTA 2 G20 N	132	140	XTV 3 G20 E	132	140
RK 11.20 H N	228	146	RKV 4 G20 E+F32	228	146	XMS 13.17 N	178	142	XTA 2 G22 N	132	140	XTV 3 G20 N	132	140
RK 11.25 H N	228	146	RKV 4 G30 D+F41	228	146	XMS 15.15 C	178	142	XTA 3 G16 E	132	140	XTV 3 G22 D	132	140
RK 13.12 C	228	146	RKV 4 G30A D+F41	228	146	XMS 15.15 N	178	142	XTA 3 G16 N	132	140	XTV 3 G22 N	132	140
RK 13.12 N	228	146	RKV 4 G32 D+F41	228	146	XMS 15.20 N	178	142	XTA 3 G19 E	132	140	XW 15.15 N	194	144
RK 13.17 C	228	146	RKV 4 G35H D+F41	228	146	XMS 17.16 N	178	142	XTA 3 G19 N	132	140	XW 15.20 N	194	144
RK 13.17 N	228	146	RKV 4 G40H D+F41	228	146	XMT 11.11 N	178	142	XTA 3 G22 N	132	140	XW 15.30 N	194	144
RK 13.20 H C	228	146	RKV 4.5 G17 E+F32	228	146	XMTA 3.5 G22 N	178	142	XTA 3.5 G13 E	132	140	XW 21.20 N	194	144
RK 13.20 H N	228	146	RKV 4.5 G40H D+F41	228	146	XMV 2 G10 E+F32	178	142	XTA 3.5 G13 N	132	140	XW 21.25 N	194	144
RK 14.16 C	228	146	RKV 5.5 G13 E+F32	228	146	XMV 2 G15 E+F32	178	142	XTA 3.5 G17 E	132	140	XW 21.28 N	194	144
RK 14.16 N	228	146	RKV 5.5 G40H D+F41	228	146	XMV 2 G22 E+F32	178	142	XTA 3.5 G17 N	132	140	XW 26.12 N	194	144
RK 15.15 C	228	146	RW 15.15 N	298	145	XMV 2.5 G18 E+F32	178	142	XTA 3.5 G20 N	132	140	XW 26.15 N	194	144
RK 15.15 N	228	146	RW 15.20H N	298	145	XMV 3 G18 E+F32	178	142	XTA 4 G10 N	132	140	XW 26.20 N	194	144
RK 15.20 H C	228	146	RW 18.17 N	298	145	XMV 3 G25 D+F25	178	142	XTA 4 G15 E	132	140	XW 26.23 N	194	144
RK 15.20 H N	228	146	RW 18.20H N	298	145	XMV 3 G25 D+F40	178	142	XTA 4 G15 N	132	140	XW 30.10 N	194	144
RK 15.25 H N	228	146	RW 21.15H N	298	145	XMV 3 G25 N	178	142	XTS 8.10 C	132	140	XW 30.15 N	194	144
RK 15.28 H N	228	146	RW 21.20H N	298	145	XMV 3 G30 D+F25	178	142	XTS 8.10 D	132	140	XW 30.20 N	194	144
RK 18.12 C	228	146	SXM 11.20 C	178	142	XMV 3 G30 D+F40	178	142	XTS 8.10 N	132	140	XW 30.25 N	194	144
RK 18.12 N	228	146	SXM 11.20 N	178	142	XMV 3 G30 N	178	142	XTS 8.12 A C	132	140	XWA 4 G20 N	194	144
RK 18.16 H C	228	146	SXM 13.20 C	178	142	XMV 3.5 G22 D+F25	178	142	XTS 8.12 A D	132	140	XWA 4 G30 N	194	144
RK 18.16 H N	228	146	SXM 13.20 N	178	142	XMV 3.5 G22 D+F40	178	142	XTS 8.12 A N	132	140	XWA 5.5 G22 N	194	144
RK 18.20 H N	228	146	SXM 15.20 C	178	142	XMV 3.5 G22 N	178	142	XTS 8.12 N	132	140	XWA 5.5 G30 N	194	144
RK 18.28 H N	228	146	SXM 15.20 N	178	142	XMV 3.5 G25 D+F25	178	142	XTS 8.14 C	132	140	XWA 5.5 G40 N	194	144
RK 21.10 C	228	146	SXMA 3 G30 N	178	142	XMV 3.5 G25 D+F40	178	142	XTS 8.14 D	132	140	XWA 7 G22 N	194	144
RK 21.10 N	228	146	SXMA 3.5 G30 N	178	142	XMV 3.5 G25 N	178	142	XTS 8.14 N	132	140	XWA 7 G32 N	194	144
RK 21.15 H C	228	146	SXMA 4 G30 J+F22	178	142	XMV 3.5 G30 D+F40	178	142	XTS 8.15 N	132	140	XWA 7 G35 N	194	144
RK 21.15 H N	228	146	SXMA 4 G30 N	178	142	XMV 4 G20 D+F40	178	142	XTS 10.10 N	132	140	XWA 7 G40 N	194	144
RK 21.20 H N	228	146	SXMS 11.20 C	178	142	XMV 4 G20 N	178	142	XTS 10.12 A N	132	140	XWA 8 G19 N	194	144
RKA 3.5 G22 N	228	146	SXMS 11.20 N	178	142	XMV 4 G22 D+F40	178	142	XTS 10.15 N	132	140	XWA 8 G29 N	194	144
RKA 3.5 G25 E	228	146	SXMS 13.20 C	178	142	XMV 4 G22 N	178	142	XTS 11.09 C	132	140	XWA 8 G35 N	194	144
RKA 3.5 G25 N	228	146	SXMS 13.20 N	178	142	XMV 4 G25 D+F40	178	142	XTS 11.09 N	132	140	XWA 9 G16 N	194	144
RKA 3.5 G30 H E	228	146	SXMS 15.20 C	178	142	XMV 4 G25 N	178	142	XTS 11.11 C	132	140	XWA 9 G24 N	194	144
RKA 3.5 G30 H N	228	146	SXMS 15.20 N	178	142	XMV 4 G30 D+F40	178	142	XTS 11.11 D	132	140	XWA 9 G30 N	194	144
RKA 3.5 G40 H N	228	146	SXMS 17.20 N	178	142	XMV 4 G30 N	178	142	XTS 11.11 N	132	140			
RKA 4 G20 E	228	146	SXMV 3 G35 D+F40	178	142	XT 8.10 C	132	140	XTS 11.14 C	132	140			

ZX.0861 gr. 70
oz. 2.5

Kit Dolly A1864
valves + O-Rings



quantity
2x6

ZX.0235 gr. 25
oz. 0.9

Kit Dolly A1866
seal packing
Ø15



quantity
6x3

ZX.0051 gr. 155
oz. 5.5

Set Dolly A1866-60HP
h.p. seals
Ø15x28



quantity
1x60

ZX.0851 gr. 90
oz. 3.2

Set Dolly A1866-60LP
l.p. seals
Ø15x22



quantity
1x60

ZX.0236 gr. 20
oz. 0.8

Kit Dolly A1874
seal packing
Ø18



quantity
4x3

ZX.0247 gr. 115
oz. 4.1

Set Dolly A1874-60HP
h.p. seals
Ø18x28



quantity
1x60

ZX.0255 gr. 100
oz. 3.6


Set Dolly A1874-60LP
l.p. seals
Ø18x25



quantity
1x60

ZX.0862 gr. 15
oz. 0.6

Kit Dolly A2040
O-Rings




ZX.0099 gr. 65 / oz. 2.3

Kit Dolly A1865
oil seals



ZX.0098 gr. 60 / oz. 2.2


Kit Dolly A2628
ceramic plungers
Ø15x30



quantity
1x3

ZX.0117 gr. 80 / oz. 2.9

Kit Dolly A2629
ceramic plungers
Ø18x30



quantity
1x3

For pumps fitting ANNOVI REVERBERI series: 126 (HPE)	Valves				Seal packing + O-Rings				Oil seals		Plungers	
	Kit Dolly A1864 ZX.0861	Kit Dolly A1866 ZX.0235	Kit Dolly A1874 ZX.0236	Kit Dolly A2040 ZX.0862	Kit Dolly A1865 ZX.0099	Kit Dolly A2628 ZX.0098	Kit Dolly A2629 ZX.0117					
HPE 8.12 A 1450	•	•		•	•	•						
HPE 8.12 A 2800	•	•		•	•	•						
HPE 8.14 1450	•	•		•	•	•						
HPE 8.14 2800	•	•		•	•	•						
HPE 9.11 1450	•		•	•	•					•		
HPE 9.14 1450	•		•	•	•					•		
HPE 10.10 1450	•		•	•	•					•		
HPE 10.10 2800	•	•		•	•	•						
HPE 10.12 A 1450	•		•	•	•					•		
HPE 10.12 A 2800	•	•		•	•	•						
HPE 11.09 1450	•		•	•	•					•		
HPE 11.09 2800	•	•		•	•	•						

For pumps fitting ANNOVI REVERBERI series: 126 (HPE)	Valves				Seal packing + O-Rings				Oil seals		Plungers	
	Kit Dolly A1864 ZX.0861	Kit Dolly A1866 ZX.0235	Kit Dolly A1874 ZX.0236	Kit Dolly A2040 ZX.0862	Kit Dolly A1865 ZX.0099	Kit Dolly A2628 ZX.0098	Kit Dolly A2629 ZX.0117					
HPE 11.11 1450	•		•	•	•						•	
HPE 11.11 2800	•	•		•	•	•						
HPE 11.14 2800	•	•		•	•	•						
HPE 13.09 2800	•	•		•	•	•						
HPE 13.10 1450	•		•	•	•						•	
HPE 13.12 2800	•	•		•	•	•					•	
HPE 2 G15 1750	•	•		•	•	•					•	
HPE 2 G18 1750	•	•		•	•	•					•	
HPE 3 G13 1750	•		•	•	•						•	
HPE 3.5 G10 1750	•		•	•	•						•	

ZX.0861 gr. 70 / oz. 2.5

Kit Dolly
A1864
 valves + O-Rings

 quantity
 2x6

ZX.0235 gr. 70 / oz. 2.5

Kit Dolly
A1866
 seal packing
 ø15

 quantity
 6x3

ZX.0051 gr. 155 / oz. 5.5

Set Dolly
A1866-60HP
 h.p. seals
 ø15x28

 quantity
 1x60

ZX.0851 gr. 90 / oz. 3.2

Set Dolly
A1866-60LP
 l.p. seals
 ø15x22

 quantity
 1x60

ZX.0493 gr. 70 / oz. 2.5

Kit Dolly
A2520
 seal packing
 ø15

 quantity
 6x3

ZX.0854 gr. 115 / oz. 5.5

Set Dolly
A2520-60HP
 h.p. seals
 ø15x28

 quantity
 1x60

ZX.0855 gr. 90 / oz. 3.20

Set Dolly
A2520-60LP
 l.p. seals
 ø15x22

 quantity
 1x60

ZX.0236 gr. 20 / oz. 0.8

Kit Dolly
A1874
 seal packing
 ø18

 quantity
 4x3

ZX.0247 gr. 115 / oz. 4.1

Set Dolly
A1874-60HP
 h.p. seals
 ø18x28

 quantity
 1x60

ZX.0255 gr. 100 / oz. 3.6

Set Dolly
A1874-60LP
 l.p. seals
 ø18x25

 quantity
 1x60


ZX.0878 gr. 70 / oz. 2.5

Kit Dolly
A1860
 oil seals


ZX.0111 gr. 60 / oz. 2.2

Kit Dolly
A1872
 oil seals

ZX.0098 gr. 60 / oz. 2.2

Kit Dolly
A2628
 ceramic
 plungers
 ø15x30

 quantity
 1x3

ZX.0117 gr. 80 / oz. 2.9

Kit Dolly
A2629
 ceramic
 plungers
 ø18x30

 quantity
 1x3

www.sparesclub.com

*The access to Club dei Riparatori web site
 is even easier and more convenient !
 Come and visit our web site www.sparesclub.com*

For pumps fitting ANNOVI REVERBERI: 132 (XT) series	Valves		Seal packing		Oil seals		Plungers		For pumps fitting ANNOVI REVERBERI: 132 (XT) series	Valves		Seal packing		Oil seals		Plungers	
	Kit Dolly A1864 ZX.0861	Kit Dolly A1866 ZX.0235	Kit Dolly A2520 ZX.0493	Kit Dolly A1874 ZX.0236	Kit Dolly A1860 ZX.0878	Kit Dolly A1872 ZX.0111	Kit Dolly A2628 ZX.0098	Kit Dolly A2629 ZX.0117		Kit Dolly A1864 ZX.0861	Kit Dolly A1866 ZX.0235	Kit Dolly A2520 ZX.0493	Kit Dolly A1874 ZX.0236	Kit Dolly A1860 ZX.0878	Kit Dolly A1872 ZX.0111	Kit Dolly A2628 ZX.0098	Kit Dolly A2629 ZX.0117
XT 8.10 C	•	•			•		•		XTS 8.12 A N	•	•			•		•	
XT 8.10 N	•	•				•	•		XTS 8.12 N	•	•			•		•	
XT 8.12 A C	•	•			•		•		XTS 8.14 C	•	•		•		•		
XT 8.12 A N	•	•				•	•		XTS 8.14 D	•	•		•		•		
XT 8.12 N	•	•				•	•		XTS 8.14 N	•	•			•		•	
XT 8.14 C	•	•			•		•		XTS 8.15 N	•	•			•		•	
XT 8.14 N	•	•				•	•		XTS 10.10 N	•	•			•		•	
XT 8.15 N	•	•				•	•		XTS 10.12 A N	•	•			•		•	
XT 9.11 C	•			•	•		•		XTS 10.15 N	•	•			•		•	
XT 9.11 N	•	•				•	•		XTS 11.09 C	•	•		•		•		
XT 9.14 C	•			•	•		•		XTS 11.09 N	•	•			•		•	
XT 9.14 N	•			•		•	•		XTS 11.11 C	•	•		•		•		
XT 9.15 N	•			•		•	•		XTS 11.11 D	•	•		•		•		
XT 10.10 N	•			•		•	•		XTS 11.11 N	•	•			•		•	
XT 10.12 A N	•			•		•	•		XTS 11.14 C	•	•		•		•		
XT 10.15 N	•			•		•	•		XTS 11.14 D	•	•		•		•		
XT 11.07 N	•			•		•	•		XTS 11.14 N	•	•			•		•	
XT 11.09 C	•			•	•		•		XTS 11.15 N	•	•			•		•	
XT 11.09 N	•			•		•	•		XTS 13.09 C	•	•		•		•		
XT 11.11 C	•			•	•		•		XTS 13.09 D	•	•		•		•		
XT 11.11 N	•			•		•	•		XTS 13.09 N	•	•			•		•	
XT 11.14 N	•			•		•	•		XTS 13.12 A N	•	•			•		•	
XT 11.15 N	•			•		•	•		XTS 13.12 C	•	•		•		•		
XT 13.09 C	•			•	•		•		XTS 13.12 D	•	•		•		•		
XT 13.09 N	•			•		•	•		XTS 13.12 N	•	•			•		•	
XT 13.12 A N	•			•		•	•		XTS 13.15 N	•	•			•		•	
XT 13.12 N	•			•		•	•		XTV 2 G15 D	•		•	•		•		
XT 13.15 N	•			•		•	•		XTV 2 G15 E	•		•	•		•		
XTA 2 G15 E	•	•			•		•		XTV 2 G15 N	•		•		•		•	
XTA 2 G15 N	•	•				•	•		XTV 2 G18 D	•		•	•		•		
XTA 2 G20 E	•	•			•		•		XTV 2 G18 N	•		•		•		•	
XTA 2 G20 N	•	•				•	•		XTV 2 G20 D	•		•	•		•		
XTA 2 G22 N	•	•				•	•		XTV 2 G20 E	•		•	•		•		
XTA 3 G16 E	•		•		•		•		XTV 2 G20 N	•		•		•		•	
XTA 3 G16 N	•	•				•	•		XTV 2 G22 D	•		•	•		•		
XTA 3 G19 E	•		•		•		•		XTV 2 G22 E	•		•	•		•		
XTA 3 G19 N	•		•			•	•		XTV 2 G22 N	•		•		•		•	
XTA 3 G22 N	•		•			•	•		XTV 3 G10 D	•		•	•		•		
XTA 3.5 G13 E	•		•		•		•		XTV 3 G10 E	•		•	•		•		
XTA 3.5 G13 N	•		•			•	•		XTV 3 G10 N	•		•		•		•	
XTA 3.5 G17 E	•		•		•		•		XTV 3 G16 D	•		•	•		•		
XTA 3.5 G17 N	•		•			•	•		XTV 3 G16 E	•		•	•		•		
XTA 3.5 G20 N	•		•			•	•		XTV 3 G16 N	•		•		•		•	
XTA 4 G10 N	•		•			•	•		XTV 3 G18 N	•		•	•		•		
XTA 4 G15 E	•		•		•		•		XTV 3 G20 D	•		•	•		•		
XTA 4 G15 N	•		•			•	•		XTV 3 G20 E	•		•	•		•		
XTS 8.10 C	•	•			•		•		XTV 3 G20 N	•		•		•		•	
XTS 8.10 D	•	•			•		•		XTV 3 G22 D	•		•	•		•		
XTS 8.10 N	•	•				•	•		XTV 3 G22 N	•		•		•		•	
XTS 8.12 A C	•	•			•		•										
XTS 8.12 A D	•	•			•		•										

ZX.0861 gr. 70 / oz. 2.5

Kit Dolly
A1864
 valves + O-Rings

 quantity
 2x6

ZX.0879 gr. 70 / oz. 2.5

Kit Dolly
A2125
 valves + O-Rings

 quantity
 2x6


idrobase

INNOVATIVE PRESSURE WASHERS

www.idrobase.com
ZX.0647 gr. 20 / oz. 0.8

Kit Dolly
A2741
 seal packing
 ø15

 quantity
 3x3

ZX.0857 gr. 155 / oz. 5.5

Set Dolly
A2741-60HP
 h. p. seals
 ø15x28

 quantity
 1x60

ZX.0856 gr. 90 / oz. 3.2

Set Dolly
A2741-60LP
 l. p. seals
 ø15x22

 quantity
 1x60

ZX.0643 gr. 20 / oz. 0.8

Kit Dolly
A2747
 seal packing
 ø18

 quantity
 3x3

ZX.0858 gr. 115 / oz. 4.1

Set Dolly
A2747-60HP
 h. p. seals
 ø18x28

 quantity
 1x60

ZX.0859 gr. 100 / oz. 3.6

Set Dolly
A2747-60LP
 l. p. seals
 ø18x25

 quantity
 1x60

ZX.0880 gr. 10 / oz. 0.4

Kit Dolly
A2740
 head rings
 ø15

 quantity
 1x3

ZX.0881 gr. 10 / oz. 0.4

Kit Dolly
A2745
 head rings
 ø18

 quantity
 1x3


ZX.0882 gr. 60 / oz. 2.2

Kit Dolly
A2786
 oil seals


ZX.0883 gr. 50 / oz. 1.8

Kit Dolly
A2787
 oil seals

ZX.0884 gr. 60 / oz. 2.2

Kit Dolly
A2739
 ceramic
 plungers
 ø15x35

 quantity
 1x3

ZX.0885 gr. 90 / oz. 3.2

Kit Dolly
A2746
 ceramic
 plungers
 ø18x35

 quantity
 1x3

ZX.0869gr. 115
oz. 4.1
Kit Dolly
A2780
valves + O-Rings

quantity
2x6
ZX.0870gr. 30
oz. 1.1
Kit Dolly
A2782
seal packing
ø20

quantity
5x3
ZX.0893gr. 210
oz. 7.5
Set Dolly
A2782-60HP
h.p. seals
ø20x32

quantity
1x60
ZX.0864gr. 130
oz. 4.6
Set Dolly
A2782-60LP
l.p. seals
ø20x28

quantity
1x60
ZX.0871

gr. 30 / oz. 1.1

Kit Dolly
A2783
seal packing
ø22

quantity
5x3
ZX.0853

gr. 190 / oz. 6.8

Set Dolly
A2783-60HP
h.p. seals
ø22x32

quantity
1x60
ZX.1109

gr. 130 / oz. 4.6

Set Dolly
A2783-60LP
l.p. seals
ø22x30

quantity
1x60
ZX.0872gr. 360
oz. 12.8
Kit Dolly
A2784
plunger guides
ø20

quantity
2x3
ZX.0873gr. 330
oz. 11.7
Kit Dolly
A2785
plunger guides
ø22

quantity
2x3
ZX.0874

gr. 45 / oz. 1.8

Kit Dolly
A2781
oil seals
**ZX.0875**gr. 100
oz. 3.6
Kit Dolly
A2650
ceramic
plungers
ø20x45

quantity
1x3
ZX.0876gr. 135
oz. 4.8
Kit Dolly
A1891
ceramic
plungers
ø22x45

quantity
1x3

For pumps
fitting
ANNOVI
REVERBERI:
194 (XW)
series

	Valves		Seal packing		Plunger guides		Oil seals		Plungers	
	Kit Dolly 2780 ZX.0869	Kit Dolly 2782 ZX.0870	Kit Dolly 2783 ZX.0871	Kit Dolly 2784 ZX.0872	Kit Dolly 2785 ZX.0873	Kit Dolly 2781 ZX.0874	Kit Dolly 2650 ZX.0875	Kit Dolly 1891 ZX.0876		
CWX 15.17 N 950	•	•				•	•			
CWX 15.15 N 1450	•	•				•	•			
CWX 15.17 N 1750	•	•				•	•			
XW 15.15 N	•	•				•	•			
XW 15.20 N	•	•				•	•			
XW 15.30 N	•	•				•	•			
XW 21.20 N	•	•				•	•			
XW 21.25 N	•	•				•	•			
XW 21.28 N	•	•				•	•			
XW 26.12 N	•	•				•	•			
XW 26.15 N	•	•				•	•			
XW 26.20 N	•	•				•	•			
XW 26.23 N	•	•				•	•			
XW 30.10 N	•		•		•	•		•		
XW 30.15 N	•		•		•	•		•		
XW 30.20 N	•		•		•	•		•		
XW 30.25 N	•		•		•	•		•		
XWA 4 G20 N	•	•		•		•	•			
XWA 4 G30 N	•	•		•		•	•			
XWA 5.5 G22 N	•	•		•		•	•			
XWA 5.5 G30 N	•	•		•		•	•			
XWA 5.5 G40 N	•	•		•		•	•			
XWA 7 G22 N	•	•		•		•	•			
XWA 7 G32 N	•	•		•		•	•			
XWA 7 G35 N	•	•		•		•	•			
XWA 7 G40 N	•	•		•		•	•			
XWA 8 G19 N	•	•		•		•	•			
XWA 8 G29 N	•	•		•		•	•			
XWA 8 G35 N	•	•		•		•	•			
XWA 9 G16 N	•		•		•	•		•		
XWA 9 G24 N	•		•		•	•		•		
XWA 9 G30 N	•		•		•	•		•		

ZX.0886 gr. 70 / oz. 2.5

**Kit Dolly
A42169**
valves + O-Rings



quantity
2x6

ZX.0887 gr. 40 / oz. 1.5


**Kit Dolly
A42171**
seal packing
ø18



quantity
6x3

ZX.0860 gr. 220 / oz. 7.8

**Kit Dolly
A42171-60HP**
h.p. seals
ø18x32



quantity
1x60

ZX.0587 gr. 120 / oz. 4.8

**Kit Dolly
A42171-60LP**
l.p. seals
ø18x26



quantity
1x60

ZX.0888 gr. 360 / oz. 12.6

**Kit Dolly
A42172**
plunger guides



quantity
2x3


ZX.0889 gr. 50 / oz. 1.8

**Kit Dolly
A42170**
oil seals



ZX.0890 gr. 130 / oz. 4.6

**Kit Dolly
A2872**
ceramic
plungers
ø18x48



quantity
1x3

For pumps fitting ANNOVI REVERBERI: 298 (RW) series	Valves	Seal packing	Plunger guides	Oil seals	Plungers
	Kit Dolly 42169 ZX.0886	Kit Dolly 42171 ZX.0887	Kit Dolly 42172 ZX.0888	Kit Dolly 42170 ZX.0889	Kit Dolly 2872 ZX.0890
RW 15.15 N	•	•	•	•	•
RW 15.20H N	•	•	•	•	•
RW 18.17 N	•	•	•	•	•
RW 18.20H N	•	•	•	•	•
RW 21.15H N	•	•	•	•	•
RW 21.20H N	•	•	•	•	•




**The comfort line
of accessories,
by Club dei Riparatori**

Much more than usual
accessories

Go to page **248**

ZX.0685 gr. 70 / oz. 2.5


Kit Dolly A1828
valves + O-Rings



quantity 2x6

ZX.0852 gr. 70 / oz. 2.5

Kit Dolly A2864
valves + O-Rings



quantity 2x6

ZX.0097 gr. 25 / oz. 0.9

Kit Dolly A1857
seal packing
ø18



quantity 3x3

ZX.0171 gr. 220 / oz. 7.8

Set Dolly A1857-60HP
h.p. seals
ø18x32



quantity 1x60

ZX.0250 gr. 115 / oz. 4.1

Set Dolly A1857-60LP
l.p. seals
ø18x26



quantity 1x60

ZX.0494 gr. 30 / oz. 1.1

Kit Dolly A1887
seal packing
ø20



quantity 3x3

ZX.0249 gr. 180 / oz. 6.4


Set Dolly A1887-60HP
h.p. seals
ø20x32



quantity 1x60

ZX.0611 gr. 120 / oz. 4.3

Set Dolly A1887-60LP
l.p. seals
ø20x28



quantity 1x60

ZX.0863 gr. 20 / oz. 0.8

Kit Dolly A1888
seal packing
ø22



quantity 3x3

ZX.0891 gr. 160 / oz. 5.7

Set Dolly A1888-60HP
h.p. seals
ø22x32



quantity 1x60

ZX.0892 gr. 100 / oz. 3.6

Set Dolly A1888-60LP
l.p. seals
ø22x29



quantity 1x60

ZX.0864 gr. 15 / oz. 0.6

Kit Dolly A1829
head rings
ø18



quantity 1x3

ZX.0865 gr. 15 / oz. 0.6

Kit Dolly A1815
head rings
ø20



quantity 1x3

ZX.0866 gr. 15 / oz. 0.6

Kit Dolly A1816
head rings
ø22



quantity 1x3

ZX.0112 gr. 75 / oz. 2.7

Kit Dolly A1855
oil seals




ZX.0867 gr. 60 / oz. 2.2

Kit Dolly A1856
oil seals



ZX.0096 gr. 85 / oz. 3.0

Kit Dolly A2757
ceramic plungers
ø18x40




40 mm
11 mm
18 mm

quantity 1x3

ZX.0492 gr. 130 / oz. 4.6

Kit Dolly A2758
ceramic plungers
ø20x40




40 mm
11 mm
20 mm

quantity 1x3

ZX.0868 gr. 140 / oz. 5.0

Kit Dolly A2759
ceramic plungers
ø22x40



40 mm
11 mm
22 mm

quantity 1x3



Do not be fooled by the price !

The quality of Club dei Riparatori® spare parts and accessories is the best in the market.
The prices are so tempting only because we trade them without agents.



club dei riparatori®

For pumps fitting ANNOVI REVERBERI: 228 (RK) series	Valves		Seal packing + head rings						Oil seals		Plungers		
	Kit Dolly A1828 ZX.0685	Kit Dolly A2864 ZX.0652	Kit Dolly A1857 ZX.0097	Kit Dolly A1887 ZX.0494	Kit Dolly A1888 ZX.0863	Kit Dolly A1829 ZX.0864	Kit Dolly A1815 ZX.0865	Kit Dolly A1816 ZX.0866	Kit Dolly A1855 ZX.0112	Kit Dolly A1856 ZX.0867	Kit Dolly A2757 ZX.0096	Kit Dolly A2758 ZX.0492	Kit Dolly A2759 ZX.0868
RK 11.14 N		•	•			•			•		•		
RK 11.20 H N		•	•			•			•		•		
RK 11.20 H C		•	•			•			•		•		
RK 11.25 H N		•	•			•			•		•		
RK 13.12 N		•	•			•			•		•		
RK 13.12 C		•	•			•			•		•		
RK 13.17 C		•	•			•			•		•		
RK 13.17 N		•	•			•			•		•		
RK 13.20 H C		•	•			•			•		•		
RK 13.20 H N		•	•			•			•		•		
RK 14.16 C		•	•			•			•		•		
RK 14.16 N		•	•			•			•		•		
RK 15.15 C		•	•			•			•		•		
RK 15.15 N		•	•			•			•		•		
RK 15.20 H C		•	•			•			•		•		
RK 15.20 H N		•	•			•			•		•		
RK 15.25 H N		•	•			•			•		•		
RK 15.28 H N		•	•			•			•		•		
RK 18.12 C		•		•			•		•			•	
RK 18.12 N		•		•			•		•			•	
RK 18.16 H C		•		•			•		•			•	
RK 18.16 H N		•		•			•		•			•	
RK 18.20 H N		•		•			•		•			•	
RK 18.28 H N		•		•			•		•			•	
RK 21.10 C		•			•			•					•
RK 21.10 N		•			•			•					•
RK 21.15 H C		•			•			•					•
RK 21.15 H N		•			•			•					•
RK 21.20 H N		•			•			•					•
RKA 3.5 G22 N		•	•			•			•		•		
RKA 3.5 G25 E		•	•			•			•		•		
RKA 3.5 G25 N		•	•			•			•		•		
RKA 3.5 G30 H E		•	•			•			•		•		
RKA 3.5 G30 H N		•	•			•			•		•		
RKA 3.5 G40 H N		•	•			•			•		•		
RKA 4 G20 E		•	•			•			•		•		
RKA 4 G20 J+F22		•	•			•			•		•		
RKA 4 G20 N		•	•			•			•		•		
RKA 4 G30 A N		•	•			•			•		•		
RKA 4 G30 N		•	•			•			•		•		
RKA 4 G30 H E		•	•			•			•		•		
RKA 4 G30 H J+F22		•	•			•			•		•		
RKA 4 G30 H N		•	•			•			•		•		
RKA 4 G36 H N		•	•			•			•		•		
RKA 4 G40 H N		•	•			•			•		•		
RKA 4.5 G17 N		•	•			•			•		•		
RKA 4.5 G25 H N		•	•			•			•		•		
RKA 4.5 G30 H N		•	•			•			•		•		
RKA 4.5 G40 H N		•	•			•			•		•		
RKA 5.5 G13 E		•		•			•		•			•	
RKA 5.5 G13 N		•		•			•		•			•	
RKA 5.5 G20 H N		•		•			•		•			•	
RKA 5.5 G26 H N		•		•			•		•			•	
RKA 5.5 G30 H N		•		•			•		•			•	
RKA 6.5 G13 E		•			•			•					•
RKA 6.5 G13 N		•			•			•					•
RKA 6.5 G20 H E		•			•			•					•
RKA 6.5 G20 H N		•			•			•					•
RKA 7 G13 E		•			•			•					•
RKA 7 G13 N		•			•			•					•
RKA 7 G20 H E		•			•			•					•
RKA 7 G20 H N		•			•			•					•
RKV 3.5 G25 D+F41	•		•			•			•		•		
RKV 3.5 G25 E+F32	•		•			•			•		•		
RKV 3.5 G30H D+F41	•		•			•			•		•		
RKV 3.5 G35H D+F41	•		•			•			•		•		
RKV 3.5 G40H D+F41	•		•			•			•		•		
RKV 4 G20 E+F32	•		•			•			•		•		
RKV 4 G30A D+F41	•		•			•			•		•		
RKV 4 G30 D+F41	•		•			•			•		•		
RKV 4 G32 D+F41	•		•			•			•		•		
RKV 4 G35H D+F41	•		•			•			•		•		
RKV 4 G40H D+F41	•		•			•			•		•		
RKV 4.5 G17 E+F32	•		•			•			•		•		
RKV 4.5 G40H D+F41	•		•			•			•		•		
RKV 5.5 G13 E+F32	•		•			•			•		•		
RKV 5.5 G40H D+F41	•		•			•			•		•		
GRKV 4 G30A +F35	•		•			•			•		•		
GRKV 4 G30 +F35	•		•			•			•		•		
GRKV 4 G35H +F35	•		•			•			•		•		